

# MEETING MINUTES

## MEETING INFORMATION

<b>MEETING NAME</b>	SPPL CD Meeting	<b>MEETING LOCATION</b>	SPPL Conference Room and Zoom
<b>MEETING DATE</b>	8 February 2024	<b>MEETING TIME</b>	<b>12:00PM</b>

**PROJECT NAME** Sun Prairie Public Library Remodel and Addition

**FEH PROJECT NUMBER** 2023402

**PROJECT ADDRESS** 1350 Linnerud Drive, Sun Prairie WI 53590

ATTENDEE NAME	ORGANIZATION	PHONE	EMAIL
<input checked="" type="checkbox"/> Svetha Hetzler	SPPL Director	608.825.0900	shetzler@cityofsunprairie.com
<input checked="" type="checkbox"/> Rex Owens	SPPL Board President	608.513.1551	rexowens00@gmail.com
<input checked="" type="checkbox"/> Theresa Stevens	SPPL Fdn Exec Director	608.886.0718	execdirector@sunlibfoundation.org
<input checked="" type="checkbox"/> Kim Bellmann	FEH Design	563.583.4900	kimb@fehdesign.com
<input checked="" type="checkbox"/> Christy Monk	FEH Design	563.583.4900	christym@fehdesign.com
<input checked="" type="checkbox"/> Sarah Jansen	FEH Design	414.200.9660	sarahjj@fehdesign.com
<input checked="" type="checkbox"/> Kevin M. Johnson	Hunzinger – Owner's Rep	414.416.3377	kevinjohnson@hunzinger.com
<input checked="" type="checkbox"/> Steev Baker	SPPL	262.365.4614	sbaker@sunlib.org
<input checked="" type="checkbox"/> Lynn Montague	Youth Services - SPPL	608.825.0903	lmontague@cityofsunprairie.com
<input checked="" type="checkbox"/> Jan Holmes	Tech Coordinator - SPPL	608.837.7323x2032	jholmes@cityofsunprairie.com
<input checked="" type="checkbox"/> Kate Hull	Tech Services - SPPL	608.825.0901	khull@cityofsunprairie.com
<input type="checkbox"/> Erin Williams Hart	SPPL	608.825.0902	ewilliamshart@cityofsunprairie.com
<input checked="" type="checkbox"/> Steve Stocker	City of Sun Prairie Alderperson, Library Board Liaison	608.354.8511	sstocker@cityofsunprairie.com
<input checked="" type="checkbox"/> Sarah Michaelis	SPPL	608.825.0890	smichaelis@cityofsunprairie.com
<input checked="" type="checkbox"/> Rachel Packard	Sun Prairie Media Center		rpackard@cityofsunprairie.com
<input checked="" type="checkbox"/> Deb Haefner	SCLS		debh@scls.info
<input type="checkbox"/> Rose Daily	City Sustainability Coordinator	608.825.0931	rdaily@cityofsunprairie.com
<input type="checkbox"/> Sandy Xiong	Sun Prairie Media Center	608.825.0893	sxiong@cityofsunprairie.com

### 1) Goals for Success

### 2) Timeline

- a) In the Construction Document phase aiming toward mid-March completion.

### 3) Construction Documents – Casework

- a) Mail/Copy Room:
- i) On the east side below the countertop there needs to be room for 10 cases of paper.
  - ii) The open shelving on the east wall is to be plastic laminate casework with adjustable shelves and no doors.
  - iii) There are to be 60 mailboxes, 5 of the mailboxes are to be taller.
  - iv) The upper wall cabinets may need to be raised up a few inches to accommodate more mailboxes.
  - v) Additional upper cabinets are to be added above the wall cabinets.
  - vi) 40 lockers (approximately 15"x15") are needed for staff, in the corridor outside the mail room.
    - (1) Coat hooks are to be provided in workrooms.
  - vii) A large recycling bin and small trash bin should be provided near the copier.



- b) Staff Break Area:
  - i) The wardrobes on the south are to house staff baskets. Two of the wardrobes are to be reduced to be 18" deep. A total of 40 baskets are needed.
  - ii) The third wardrobe will be used for cleaning supplies, larger items may need to be stored in Storage 1074 by the restrooms.
  - iii) The water dispenser is to be located between the sink and the refrigerators.
  - iv) Cabinets are to be added above the wall cabinets, this can be used for seasonal storage and reduce clutter on top of the wall cabinets.
- c) Receiving:
  - i) There is to be shelving only under half of the counter, with no drawers.
  - ii) The other half under the counter is to be open for rolling recycling and trash cans. (Minimum 48" width.)
- d) Technical Services:
  - i) The upper cabinets are to be open, with no doors.
  - ii) The island is to have space for sitting, standing, and stools.
  - iii) There is to be power and data at the height-change and high-side vertical walls of the island.
  - iv) It was discussed that the work surface should be raised to 42-inches for standing height.
  - v) Workstations – 1 is to be height adjustable, the rest are sitting height. All stations are to have upper cabinets except for the adjustable-height station. These cabinets will be furniture.
- e) Circulation:
  - i) Pickup window – there needs to be an intercom to let staff know that someone is at the window. This chime should be broadcast through the staff space. This does not need to be a sophisticated piece of equipment.
  - ii) At the book pickup window, the preference is for the floor space to extend out beyond the face of the adjacent book drop for staff to stand in, instead of reaching over a bay window.
- f) Holds:
  - i) It was requested that the directional letters be paper inserts.
  - ii) The shelves are to be height adjustable.
  - iii) The hold shelves will be made of wood.
  - iv) The plan shows more shelves than the library currently uses.
- g) Ask Desk:
  - i) The Ask Desk will be renamed the Welcome Desk, the Welcome Desk will be renamed the Greeter Desk.
  - ii) The desk layout will be revised to have a credenza behind the desk and more of a curved gambrel shape. There needs to be room for 3 stations, cashiering, 2 phones.
    - (1) The credenza should accommodate a large printer and should be 18" deep with open shelving.
    - (2) A printer should be accommodated below the desk itself.
    - (3) Circulation stations are larger due to the amount of associated library equipment.
    - (4) The cashiering station equipment includes a barcode scanner, receipt printer, credit card machine, and cash drawer.
    - (5) The countertop should be low and high.
    - (6) A key drawer is needed that locks. Open shelves and drawers are needed for forms at the desk.
    - (7) Colorful screens should be provided above the countertop to screen the backs of monitors.
    - (8) Gates between the credenza and desk are preferred to direct patrons. The gates should have hold opens.
- h) Board Room:
  - i) In lieu of upper cabinets / standards and brackets, there should be decorative floating shelves.
  - ii) There is to be a tile backsplash.
- i) Youth Program Room:
  - i) All cabinets are to be lockable.
  - ii) Paper towel and soap dispensers will be provided at the sink.
- j) Youth Services Desk:
  - i) The lower portion of the desk is to be on the north side. (The desk is to be mirrored from its current configuration.)
  - ii) The current desk needs 2 file drawers and 6 box drawers.

- iii) The credenza is to have open shelves in the middle and cabinets with doors on each side.
  - k) YS Staff Workroom:
    - i) The wardrobes on the north wall are to be all shelves.
    - ii) As part of the furniture package, there will be utility shelving on the north wall.
    - iii) The island is to be mirrored, so the overhang is on the south side. Part of the island should be 42-inches high and section at sitting height.
    - iv) There is to be power at the island for a printer on the west.
  - l) Teen laptop bar:
    - i) There is to be ADA height (30") countertop and some higher countertop.
  - m) Community Room Kitchen:
    - i) The existing kitchen layout needs improvement. The casework layout should be made more functional.
    - ii) Only one microwave is needed.
  - n) The Adult Services spaces will be reviewed at a future meeting.
  - o) Sarah with FEH Design reviewed the finishes for the casework in each space. These will be presented at the next meeting, which will go over all finishes.
  - p) The Maker Space is to be named 'The Mixer'.
- 4) A coat tree or coat hooks are to be provided in the staff workrooms and in the bookstore.
- 5) Other items**
- a) EIGP Microgrid/Solar Panel/BESS item
    - i) There is a meeting in 3 weeks to receive an update on the grant process. There is another program, the Inflation Reduction Act, which could have a reimbursement up to 24%-34% of material and labor for the geothermal, solar, and battery storage systems..
  - b) Conditional Use Permit Application – Upcoming meeting Tuesday.
  - c) LEED Progress Update
    - i) The energy model should be complete in early March. This will confirm the LEED credits available due to energy efficiency.
  - d) AV Equipment Update – Meeting Upcoming with SCLS

---

**ACTION ITEMS**

1. Update the bid documents with the items above.
2. Set up meeting to discuss Adult Services casework.

---


For meeting minutes this is the author's understanding of the items discussed. Please notify us of any discrepancies within 7 days so revised minutes can be issued. No response will indicate acceptance by all parties.

---

<b>WRITTEN BY</b>	Kim Bellmann
<b>NEXT MEETING</b>	Thursday February 15, 2024 at 12:00PM
<b>ATTACHMENTS</b>	Floor Plan and Casework Elevations

---

SS-1




Counter Top  
Corian:  
Carbon Aggregate




Cabinets  
Wilsonart:  
Handspun Chestnut

SS-4



Counter Top  
Gilasi:  
Minato



Cabinets  
Wilsonart:  
Florence Walnut

SS-2



Counter Top  
Wilsonart:  
Avalanche Melange




Cabinets  
Wilsonart:  
Florence Walnut

SS-5



Counter Top  
Stelpop:  
Tally Holly



Cabinets  
Wilsonart:  
Florence Walnut

SS-3



Counter Top  
Gilasi:  
Minato



Cabinets  
Wilsonart:  
Florence Walnut

PL-1




Cabinets  
Wilsonart:  
Florence Walnut

FLOOR PLAN LEGEND


- CORNER GUARD
- FIRE EXTINGUISHER ON BRACKET (FE)
- FIRE EXTINGUISHER CABINET (FEC)

WALL AND PARTITION NOTES

- ALL WALL PARTITIONS ARE FULL HEIGHT U.O.N. SEE TYPICAL WALL TYPES.
- AT TOP AND BOTTOM OF WALL PROVIDE ACOUSTIC SEALANT AT WALLS WITH SOUND INSULATION AND FIRE-RATED SEALANT AT FIRE-RATED WALLS.
- HOLD GYPSUM BOARD 1/2" OFF ALL SLABS AND STRUCTURE.
- FIRE & SMOKE RATED PARTITIONS ARE SHOWN ON THE CODE PLANS AND/OR FLOOR PLANS. SEE TYPICAL WALL TYPES.
- FILL CONCRETE MASONRY UNIT CORES WITH SAND AT ALL MECHANICAL ROOMS.
- PROVIDE SOLID BLOCKING BEHIND WALL MOUNTED GRAB BARS, RESTROOM ACCESSORIES, EQUIPMENT, CABINETS, SHELVES AND SIMILAR ITEMS ON GYPSUM BOARD PARTITIONS.
- IN 1-HOUR RATED MASONRY WALLS, PROVIDE MINIMUM 4" SOLID MASONRY BEHIND RECESSED FIRE EXTINGUISHER CABINETS AND/OR ELECTRICAL CABINETS. IN RATED GYPSUM BOARD WALLS, PROVIDE RATED RECESSED FIRE EXTINGUISHER CABINETS.
- CONTROL JOINTS NOT TO EXCEED 30" SPACING IN ANY DIRECTION FOR GYPSUM BOARD WALLS. WHERE CONTROL JOINTS ARE NOT DIMENSIONED, LOCATE JOINTS AT INTERSECTIONS OF INTERIOR WALLS AND COORDINATE WITH ARCHITECT. IF CONTROL JOINTS ARE NOT INDICATED ON THE FLOOR PLANS, CEILING PLANS, EXTERIOR ELEVATIONS, OR INTERIOR ELEVATIONS, OBTAIN APPROVAL OF LOCATIONS FROM THE ARCHITECT PRIOR TO CONSTRUCTION. SEE TYPICAL CONTROL JOINT DETAILS.
- EXISTING WALLS ARE HATCHED SOLID GRAY. NEW WALLS ARE SHOWN BLACK.
- DOOR HANDLE IS 6" OFF WALL, TYPICAL, UNLESS NOTED OR DIMENSIONED OTHERWISE.



1 OVERALL MAIN FLOOR  
SCALE: 3/32" = 1'-0"



**PRELIMINARY**  
NOT FOR CONSTRUCTION

**FEH DESIGN**

DESIGN PARTNERS

ASSOCIATION WITH

**SNYDER ASSOCIATES**

DESIGN PARTNERS

SHEET TITLE: OVERALL FLOOR PLAN

PROJECT TITLE: CITY OF SUN PRAIRIE  
SUN PRAIRIE PUBLIC LIBRARY  
REMODEL AND ADDITION  
1350 LINNERTUD DRIVE  
SUN PRAIRIE, WI

DATE ISSUED: 1.18.2024


REV. NO. DATE

PROJECT NUMBER: 2023402

SHEET: A1.1

CONTACT: DUBUQUE, IA (515) 282-2000  
DES MONIES, IA (515) 252-3889  
SIOUX CITY, IA (712) 252-3889  
OCCONOMOC, WI (262) 962-2055  
OCCONOMOC, WI (262) 962-2055

© FEH DESIGN




FLOOR PLAN LEGEND

- CORNER GUARD
- FIRE EXTINGUISHER ON BRACKET (FE)
- FIRE EXTINGUISHER CABINET (FEC)

WALL AND PARTITION NOTES

1. ALL WALL PARTITIONS ARE FULL HEIGHT U.O.N. SEE TYPICAL WALL TYPES.
2. AT TOP AND BOTTOM OF WALL, PROVIDE ACOUSTIC SEALANT AT WALLS WITH SOUND INSULATION AND FIRE-RATED SEALANT AT FIRE RATED WALLS.
3. HOLD GYPSUM BOARD 1/2" OFF ALL SLABS AND STRUCTURE.
4. FIRE & SMOKE RATED PARTITIONS ARE SHOWN ON THE CODE PLANS AND/OR FLOOR PLANS. SEE TYPICAL WALL TYPES.
5. FILL CONCRETE MASONRY UNIT CORES WITH SAND AT ALL MECHANICAL ROOMS, PROVIDE SOLID BLOCKING BEHIND WALL MOUNTED GRAB BARS, RESTROOM ACCESSORIES, EQUIPMENT, CABINETS, SHELVES AND SIMILAR ITEMS ON GYPSUM BOARD PARTITIONS.
6. IN 1-HOUR RATED MASONRY WALLS, PROVIDE MINIMUM 4" SOLID MASONRY BEHIND RECESSED FIRE EXTINGUISHER CABINETS AND/OR ELECTRICAL CABINETS. IN RATED GYPSUM BOARD WALLS, PROVIDE RATED RECESSED FIRE EXTINGUISHER CABINETS.
7. CONTROL JOINTS NOT TO EXCEED 30" SPACING IN ANY DIRECTION FOR GYPSUM BOARD WALLS. WHERE CONTROL JOINTS ARE NOT DIMENSIONED, LOCATE JOINTS AT INTERSECTIONS OF INTERIOR WALLS AND COORDINATE WITH ARCHITECT. IF CONTROL JOINTS ARE NOT INDICATED ON THE FLOOR PLANS, CEILING PLANS, EXTERIOR ELEVATIONS, OR INTERIOR ELEVATIONS, OBTAIN APPROVAL OF LOCATIONS FROM THE ARCHITECT PRIOR TO CONSTRUCTION. SEE TYPICAL CONTROL JOINT DETAILS.
8. EXISTING WALLS ARE HATCHED SOLID GRAY, NEW WALLS ARE SHOWN BLACK.
9. DOOR HANDLE IS 6" OFF WALL, TYPICAL UNLESS NOTED OR DIMENSIONED OTHERWISE.

1 OVERALL MAIN FLOOR  
SCALE: 3/32" = 1'-0"



**FEH DESIGN**

DESIGN ENGINEERS

SNYDER & ASSOCIATES

IN ASSOCIATION WITH

OVERALL FLOOR PLAN

SHEET TITLE

PROJECT TITLE: CITY OF SUN PRAIRIE  
**SUN PRAIRIE PUBLIC LIBRARY  
REMODEL AND ADDITION**  
1350 LINNERUD DRIVE  
SUN PRAIRIE, WI

DATE ISSUED: 1.18.2024  
REV. NO. DATE

PROJECT NUMBER  
2023402

SHEET  
**A1.1**


DATE: 2/8/2024 8:53:57 AM

FLOOR PLAN LEGEND


- CORNER GUARD
- FIRE EXTINGUISHER ON BRACKET (FE)
- FIRE EXTINGUISHER CABINET (FEC)

WALL AND PARTITION NOTES

1. ALL WALL PARTITIONS ARE FULL HEIGHT U.O.N. SEE TYPICAL WALL TYPES.
2. AT TOP AND BOTTOM OF WALL, PROVIDE ACOUSTIC SEALANT AT WALLS WITH SOUND INSULATION AND FIRE-RATED SEALANT AT FIRE RATED WALLS.
3. HOLD GYPSUM BOARD 1/2" OFF ALL SLABS AND STRUCTURE.
4. FIRE & SMOKE RATED PARTITIONS ARE SHOWN ON THE CODE PLANS AND/OR FLOOR PLANS. SEE TYPICAL WALL TYPES.
5. FILL CONCRETE MASONRY UNIT CORES WITH SAND AT ALL MECHANICAL ROOMS.
6. PROVIDE SOLID BLOCKING BEHIND WALL MOUNTED GRAB BARS, RESTROOM ACCESSORIES, EQUIPMENT, CABINETS, SHELVES AND SIMILAR ITEMS ON GYPSUM BOARD PARTITIONS.
7. IN 1-HOUR RATED MASONRY WALLS, PROVIDE MINIMUM 4" SOLID MASONRY BEHIND RECESSED FIRE EXTINGUISHER CABINETS AND/OR ELECTRICAL CABINETS. IN RATED GYPSUM BOARD WALLS, PROVIDE RATED RECESSED FIRE EXTINGUISHER CABINETS.
8. CONTROL JOINTS NOT TO EXCEED 30" SPACING IN ANY DIRECTION FOR GYPSUM BOARD WALLS. WHERE CONTROL JOINTS ARE NOT DIMENSIONED, LOCATE JOINTS AT INTERSECTIONS OF INTERIOR WALLS AND COORDINATE WITH ARCHITECT. IF CONTROL JOINTS ARE NOT INDICATED ON THE FLOOR PLANS, CEILING PLANS, EXTERIOR ELEVATIONS, OR INTERIOR ELEVATIONS, OBTAIN APPROVAL OF LOCATIONS FROM THE ARCHITECT PRIOR TO CONSTRUCTION. SEE TYPICAL CONTROL JOINT DETAILS.
9. EXISTING WALLS ARE HATCHED SOLID GRAY, NEW WALLS ARE SHOWN BLACK.
10. DOOR HANDLE IS 6" OFF WALL, TYPICAL, UNLESS NOTED OR DIMENSIONED OTHERWISE.



1 FLOOR PLAN - AREA A  
SCALE: 1/8" = 1'-0"



**PRELIMINARY**  
NOT FOR CONSTRUCTION

PROJECT TITLE: CITY OF SUN PRAIRIE  
SUN PRAIRIE PUBLIC LIBRARY  
REMODEL AND ADDITION  
1350 LINNERUD DRIVE  
SUN PRAIRIE, WI

DATE ISSUED: 1.18.2024  
REV. NO. DATE

PROJECT NUMBER: 2023402

SHEET: A1.2

IN ASSOCIATION WITH

**SNYDER & ASSOCIATES**  
DESIGN ENGINEERS

FEH DESIGN  
DES MOINES, IA  
(515) 288-2000

FEH DESIGN  
DUBUQUE, IA  
(563) 983-4900


FEH DESIGN  
OCONOMOWOC, WI  
(262) 988-2055

FLOOR PLAN LEGEND


- CORNER GUARD
- FIRE EXTINGUISHER ON BRACKET (FE)
- FIRE EXTINGUISHER CABINET (FEC)

WALL AND PARTITION NOTES

1. ALL WALL PARTITIONS ARE FULL HEIGHT U.O.N. SEE TYPICAL WALL TYPES.
2. AT TOP AND BOTTOM OF WALL, PROVIDE ACOUSTIC SEALANT AT WALLS WITH SOUND INSULATION AND FIRE-RATED SEALANT AT FIRE RATED WALLS.
3. HOLD GYPSUM BOARD 1/2" OFF ALL SLABS AND STRUCTURE.
4. FIRE & SMOKE RATED PARTITIONS ARE SHOWN ON THE CODE PLANS AND/OR FLOOR PLANS. SEE TYPICAL WALL TYPES.
5. FILL CONCRETE MASONRY UNIT CORES WITH SAND AT ALL MECHANICAL ROOMS.
6. PROVIDE SOLID BLOCKING BEHIND WALL MOUNTED GRAB BARS, RESTROOM ACCESSORIES, EQUIPMENT, CABINETS, SHELVES AND SIMILAR ITEMS ON GYPSUM BOARD PARTITIONS.
7. IN 1-HOUR RATED MASONRY WALLS, PROVIDE MINIMUM 4" SOLID MASONRY BEHIND RECESSED FIRE EXTINGUISHER CABINETS AND/OR ELECTRICAL CABINETS. IN RATED GYPSUM BOARD WALLS, PROVIDE RATED RECESSED FIRE EXTINGUISHER CABINETS.
8. CONTROL JOINTS NOT TO EXCEED 30" SPACING IN ANY DIRECTION FOR GYPSUM BOARD WALLS. WHERE CONTROL JOINTS ARE NOT DIMENSIONED, LOCATE JOINTS AT INTERSECTIONS OF INTERIOR WALLS AND COORDINATE WITH ARCHITECT. IF CONTROL JOINTS ARE NOT INDICATED ON THE FLOOR PLANS, CEILING PLANS, EXTERIOR ELEVATIONS, OR INTERIOR ELEVATIONS, OBTAIN APPROVAL OF LOCATIONS FROM THE ARCHITECT PRIOR TO CONSTRUCTION. SEE TYPICAL CONTROL JOINT DETAILS.
9. EXISTING WALLS ARE HATCHED SOLID GRAY. NEW WALLS ARE SHOWN BLACK.
10. DOOR HANDLE IS 6" OFF WALL, TYPICAL, UNLESS NOTED OR DIMENSIONED OTHERWISE.



1 FLOOR PLAN - AREA B  
SCALE: 1/8" = 1'-0"












**PRELIMINARY**  
NOT FOR CONSTRUCTION

**WALL AND PARTITION NOTES**

1. ALL WALL PARTITIONS ARE FULL HEIGHT U.O.N. SEE TYPICAL WALL TYPES.
2. AT TOP AND BOTTOM OF WALL, PROVIDE ACOUSTIC SEALANT AT WALLS WITH SOUND INSULATION AND FIRE-RATED SEALANT AT FIRE RATED WALLS.
3. HOLD GYPSUM BOARD 1/2" OFF ALL SLABS AND STRUCTURE.
4. FIRE & SMOKE RATED PARTITIONS ARE SHOWN ON THE CODE PLANS AND/OR FLOOR PLANS. SEE TYPICAL WALL TYPES.
5. FILL CONCRETE MASONRY UNIT CORES WITH SAND AT ALL MECHANICAL ROOMS.
6. PROVIDE SOLID BLOCKING BEHIND WALL MOUNTED GRAB BARS, RESTROOM ACCESSORIES, EQUIPMENT, CABINETS, SHELVES AND SIMILAR ITEMS ON GYPSUM BOARD PARTITIONS.
7. IN 1-HOUR RATED MASONRY WALLS, PROVIDE MINIMUM 4" SOLID MASONRY BEHIND RECESSED FIRE EXTINGUISHER CABINETS AND/OR ELECTRICAL CABINETS. IN RATED GYPSUM BOARD WALLS, PROVIDE RATED RECESSED FIRE EXTINGUISHER CABINETS.
8. CONTROL JOINTS NOT TO EXCEED 30" SPACING IN ANY DIRECTION FOR GYPSUM BOARD WALLS. WHERE CONTROL JOINTS ARE NOT DIMENSIONED, LOCATE JOINTS AT INTERSECTIONS OF INTERIOR WALLS AND COORDINATE WITH ARCHITECT. IF CONTROL JOINTS ARE NOT INDICATED ON THE FLOOR PLANS, CEILING PLANS, EXTERIOR ELEVATIONS, OR INTERIOR ELEVATIONS, OBTAIN APPROVAL OF LOCATIONS FROM THE ARCHITECT PRIOR TO CONSTRUCTION. SEE TYPICAL CONTROL JOINT DETAILS.
9. EXISTING WALLS ARE HATCHED SOLID GRAY, NEW WALLS ARE SHOWN BLACK.
10. DOOR HANDLE IS 6" OFF WALL, TYPICAL, UNLESS NOTED OR DIMENSIONED OTHERWISE.


**FLOOR PLAN LEGEND**

- CORNER GUARD
- FIRE EXTINGUISHER ON BRACKET (FE)
- FIRE EXTINGUISHER CABINET (FEC)




**PRELIMINARY**  
NOT FOR CONSTRUCTION







**1 MAIL/COPY ROOM EAST ELEVATION**  
SCALE: 1/4" = 1'-0"




**2 MAIL/COPY ROOM SOUTH ELEVATION**  
SCALE: 1/4" = 1'-0"




**3 MAIL/COPY ROOM WEST ELEVATION**  
SCALE: 1/4" = 1'-0"




**4 RECEIVING EAST ELEVATION**  
SCALE: 1/4" = 1'-0"




**5 ADULT STAFF EAST ELEVATION**  
SCALE: 1/4" = 1'-0"




**6 ADULT STAFF WEST ELEVATION**  
SCALE: 1/4" = 1'-0"




**7 STUDY ROOMS NORTH ELEVATIONS**  
SCALE: 1/4" = 1'-0"




**8 STUDY ROOM EAST ELEVATION**  
SCALE: 1/4" = 1'-0"




**9 1057 DISCUSS ROOM SOUTH ELEVATION**  
SCALE: 1/4" = 1'-0"




**10 1050 DISCUSS ROOM SOUTH ELEVATION**  
SCALE: 1/4" = 1'-0"




**11 1051 DISCUSS ROOM SOUTH ELEVATION**  
SCALE: 1/4" = 1'-0"




**12 MEETING ROOM NORTH ELEVATION**  
SCALE: 1/4" = 1'-0"




**17 MEETING ROOM EAST ELEVATION**  
SCALE: 1/4" = 1'-0"




**13 BOOK STORE & CAFE SOUTH ELEVATION**  
SCALE: 1/4" = 1'-0"




**14 MAKERSPACE WEST ELEVATION**  
SCALE: 1/4" = 1'-0"




**15 COMPUTERS NORTH ELEVATION**  
SCALE: 1/4" = 1'-0"




**16 COMPUTERS EAST ELEVATION**  
SCALE: 1/4" = 1'-0"




**18 CAREGIVER ROOM WEST ELEVATION**  
SCALE: 1/4" = 1'-0"




**19 YOUTH PROGRAM ROOM SOUTH ELEVATION**  
SCALE: 1/4" = 1'-0"




**20 KITCHEN NORTH ELEVATION**  
SCALE: 1/4" = 1'-0"




**21 KITCHEN WEST ELEVATION**  
SCALE: 1/4" = 1'-0"




**22 AQUARIUM PLAN**  
SCALE: 1/4" = 1'-0"




**23 AQUARIUM WEST ELEVATION**  
SCALE: 1/4" = 1'-0"




**24 AQUARIUM NORTH ELEVATION**  
SCALE: 1/4" = 1'-0"




**25 ASK DESK PLAN**  
SCALE: 1/4" = 1'-0"



**26 ASK DESK NORTH ELEVATION**  
SCALE: 1/4" = 1'-0"




**27 TEEN ROOM NORTH ELEVATION**  
SCALE: 1/4" = 1'-0"




**28 TEEN GAMING AREA ELEVATION**  
SCALE: 1/4" = 1'-0"

**PRELIMINARY**  
NOT FOR CONSTRUCTION


FEH DESIGN  
 SNYDER & ASSOCIATES  
 DESIGN ENGINEERS  
 CITY OF SUN PRAIRIE  
 SUN PRAIRIE PUBLIC LIBRARY  
 REMODEL AND ADDITION  
 1350 LINNERUD DRIVE  
 SUN PRAIRIE, WI  
 PROJECT NUMBER: 2023402  
 SHEET: A7.1  
 DATE ISSUED: 1.18.2024  
 REV. NO.:  
 DATE:  
 PROJECT NUMBER: 2023402  
 SHEET: A7.1  
 FEH DESIGN.COM  
 OCONOMOWOC, WI (262) 988-2055  
 DUBUQUE, IA (515) 288-2000  
 SIOUX CITY, IA (712) 252-3889




12 LOBBY 1002 WEST ELEVATION  
SCALE: 1/4" = 1'-0"




1 CHILDREN'S ENTRY NORTH ELEVATION  
SCALE: 1/4" = 1'-0"




2 ATRIUM SOUTH ELEVATION  
SCALE: 1/4" = 1'-0"



3 COMMUNITY ROOM SOUTH ELEVATION  
SCALE: 1/4" = 1'-0"




4 TEEN WALL  
SCALE: 1/4" = 1'-0"




5 1027 DISCUSS EAST ELEVATION  
SCALE: 1/4" = 1'-0"




6 1028 STUDY EAST ELEVATION  
SCALE: 1/4" = 1'-0"




7 1050 DISCUSS EAST ELEVATION  
SCALE: 1/4" = 1'-0"



8 1049 DISCUSS WEST ELEVATION  
SCALE: 1/4" = 1'-0"



9 ENTRY 1010 WEST ELEVATION  
SCALE: 1/4" = 1'-0"



10 ENTRY 1010 EAST ELEVATION  
SCALE: 1/4" = 1'-0"



SIOUX CITY, IA (712) 252-3889  
DES MOINES, IA (515) 288-2000  
DUBUQUE, IA (663) 983-4900  
OCONOMOWOC, WI (262) 988-2055

© FEH DESIGN  
FEHDESIGN.COM



IN ASSOCIATION WITH

INTERIOR ELEVATIONS

PROJECT TITLE CITY OF SUN PRAIRIE  
SUN PRAIRIE PUBLIC LIBRARY  
REMODEL AND ADDITION  
1350 LINNERUD DRIVE  
SUN PRAIRIE, WI

DATE ISSUED 1.18.2024  
REV. NO. DATE


PROJECT NUMBER  
2023402

SHEET  
A7.2


**PRELIMINARY**  
NOT FOR CONSTRUCTION

C:\Users\kmba\Documents\2023402 - Sun Prairie Library - R23C\_kmba\FYS.rvt


2/8/2024 8:54:51 AM




**1 1074 & 1073 RESTROOM PLANS**  
SCALE: 1/4" = 1'-0"




**2 1074 RESTROOM - NORTH WALL**  
SCALE: 1/4" = 1'-0"




**3 1074 RESTROOM - EAST WALL**  
SCALE: 1/4" = 1'-0"




**4 1074 RESTROOM - SOUTH WALL**  
SCALE: 1/4" = 1'-0"




**5 1073 RESTROOM - NORTH WALL**  
SCALE: 1/4" = 1'-0"




**6 1073 RESTROOM - EAST WALL**  
SCALE: 1/4" = 1'-0"




**7 1073 RESTROOM - SOUTH WALL**  
SCALE: 1/4" = 1'-0"




**8 REFERENCE DESK PLAN**  
SCALE: 1/4" = 1'-0"




**9 REFERENCE DESK FRONT FACE**  
SCALE: 1/4" = 1'-0"




**10 REFERENCE DESK SIDE FACE**  
SCALE: 1/4" = 1'-0"




**11 REFERENCE DESK BACK FACE**  
SCALE: 1/4" = 1'-0"




**12 STAFF BREAK AREA PLAN**  
SCALE: 1/4" = 1'-0"




**13 1088 STAFF BREAK AREA CABINETS**  
SCALE: 1/4" = 1'-0"




**14 1088 STAFF BREAK AREA CABINETS**  
SCALE: 1/4" = 1'-0"



**15 TECH SERVICES PLAN**  
SCALE: 1/4" = 1'-0"




**16 1079 TECH SERVICES CABINETS**  
SCALE: 1/4" = 1'-0"




**17 1079 PAGE WORK ISLAND**  
SCALE: 1/4" = 1'-0"


**18 1079 TECH SERVICES ISLAND BACK**  
SCALE: 1/4" = 1'-0"




**19 STAFF WORKROOM PLAN**  
SCALE: 1/4" = 1'-0"




**20 YOUTH SERVICES REFERENCE DESK**  
SCALE: 1/4" = 1'-0"




**21 YOUTH SERVICES REFERENCE DESK SIDE FACE**  
SCALE: 1/4" = 1'-0"



**22 YOUTH STAFF WORKROOM NORTH**  
SCALE: 1/4" = 1'-0"



**23 YOUTH STAFF WORKROOM ISLAND**  
SCALE: 1/4" = 1'-0"



**24 YOUTH STAFF WORKROOM ISLAND BACK**  
SCALE: 1/4" = 1'-0"

**PRELIMINARY**  
NOT FOR CONSTRUCTION